IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

PERMA-LINER INDUSTRIES LLC

13000 AUTOMOBILE BLVD #300 CLEARWATER, FL 33762, United States

Product:

Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube

Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®) Products are certified to the following standard(s) ASTM F1216-2021

File Number: 4397

Effective Date: April 2024

Revised Date: June 28, 2024

Void After: April 2029*

Tim Colleig 1

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING



Issued To: PERMA-LINER INDUSTRIES LLC

File Number: 4397

Product: Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube

Effective Date: April 2024 Revised Date: June 28, 2024 Void After: April 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Manufacturer's name or trademark, model description of woven or nonwoven material and associated thermosetting resin and shall bear the UPC® certification mark.

Characteristics:

Materials for the reconstruction of pipeline and conduits (3" to 108") by the installation of a resin impregnated flexible tube which is inserted into the existing conduit by use of a hydrostatic head of air pressure. For replacement of existing sewers only. To be installed in accordance with the requirements of the manufacturer's installation instructions and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING



Issued To: PERMA-LINER INDUSTRIES LLC

File Number: 4397

Product: Rehabilitation of Existing Pipelines and Conduits by the Inversion and Curing of a Resin-Impregnated Tube

Effective Date: April 2024 Revised Date: June 28, 2024 Void After: April 2029

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description
Perma Lateral	Liner diameter 2"-12"