

PRODUCT CATALOG



DON'T DIG THIS


Quik-Shot

REHABILITATE YOUR PIPES WITHOUT DIGGING

REHABILITATE
PIPES FROM
ABOVE GROUND



Before



After



✉ info@pipeliningsupply.com

888-354-6464

PIPELININGSUPPLY.COM

Table of Contents

Information2

Quik-Shot Inversion System 3-4

Quik-Heater..... 5-6

Quik-Roller7-8

Quik-Coating System.....9-10

Calibration Tube and Liners 11-12

Epoxy Resin.....13-14

Resins 15

Accessories 16

LightRay Systems..... 17-20

Training, Customer Support and Certification 21

Trailers and Vans.....22

We proudly distribute:



*Contact sales or customer service for a complete list of sizes, part numbers, and prices.

Where Customer Service Meets Customer Demand

Service: Our customers are attracted to us because of our quality, and our commitment to customer support. In an industry that requires much more than just materials, we offer our customers around the clock customer support.

Selection: It's not only important to provide the best in quality, but equally important is providing variety as well. We avoid the attitude of having a one size fits all approach. AIPPR & CIPP lining is an ever-changing industry that requires a diverse ability to mold to different situations. We have a solution for any gravity fed drainage system in need of rehab.

Shipping: We offer shipping using the best shipping solutions. No processing fee, handling fee or other hidden cost. We look for the most cost-effective shipping method and our cost is your cost. If you have a preferred carrier (ie: UPS, FedEx) we can also ship on your account number.

Sales / Orders: Hours of operations are 8:00am to 4:30pm Monday - Friday. After hours and weekends orders can be arranging by setting up a pick-up. We also have multiple distribution facilities located around the country to make it easier for our customers success.

Technical Support: Pipe Lining Supply offers technical support 24/7 the technical support hotline is 888-915-2477

No Minimum Orders: No minimum orders for liners and cal tubes. Resins are sold in pre-poured amounts for your convenience. Large resin drums and totes available.

*Contact sales or customer service for a complete list of sizes, part numbers, and prices.

Quik-Shot™ Inversion System

The Quik-Shot is the most advanced lateral lining system available. Lightweight & portable and it can continuously feed to any length.



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Shot™ Unit

The **Quik-Shot™** is the most advanced lateral lining system available. Compatible with all manufacturer's inversion lining materials. The patented design of the unit uses air to invert lining material but is equipped with a water port if water inversion is desired.

The basic unit comes with both 4" and 6" kits which includes:

- Bats for both 4" and 6"
- Stiffener plate for both 4" and 6"
- Improved nozzle for easy inversion.
- 2 Silicone gaskets.

Kits

Kits available for 3", 4", 6" and 8". Kit includes, nozzle, bats, stiffener and gasket.



Silicone Gasket

Replacement silicone gasket for 3", 4", 6" and 8"



Bats

Replacement Bats are available for 3", 4", 6" and 8"



Stiffener Plates

Replacement Stiffener Plates are available - 3", 4", 6" and 8"



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Heater

Equipped with a 199,000 BTU propane water heater that gives you the ability to cure your liners quickly.



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Heater

This heater will deliver up to 180 degree water. It is equipped with a 199,000 BTU propane water heater that gives you the ability to cure your liners quickly. By using propane it can be operated inside a building. All this in a compact unit that can easily be maneuvered by one person.

The **Quik-Heater** comes standard with the following:

- Water Manifold
- 25' Red hot water delivery hose
- 25' Black return water hose
- 2 - 50' LayFlat hoses

Water Manifold

The all in one heat manifold adapts to red and black circulation hoses. 8 PSI pressure relief gauge. Used for 3", 4", 6" and 8" liner.



LayFlat Hose

50 feet LayFlat hose with 1- male and 1-female hose fittings link together for heating. 100' also available without hose fittings.



Red & Black Circulation Hose

25 feet long with male and female camlock connectors.



For a complete list of sizes, part numbers, and prices, contact our sales team.



Calibration Equipment

Calibration of the impregnated liner is essential in lateral lining. This ensures that the finished liner meets the ASTM specification.

For a complete list of sizes, part numbers, and prices, contact our sales team.

Calibration Roller

A calibration gauge on the unit ensures the proper amount of resin in every liner. Designed so it can be used as a standalone or truck mounted. Stands approximately 54" h. x 30" w.

Extender Table (optional)

The 5' Roller Extender table height is even with the top of bottom roller and ends 6" higher at the end.

Electric Roller (optional)

Convert your manual roller to electric with our exclusive conversion kit.



Compact Electric Roller & Shelves

Great for putting in your mobile shop. Smaller roller is 21.5" wide. Mount in van, truck or trailer. Bottom storage shelves ideal for storing resin.



Vacuum Pump

Pneumatic venture vacuum generator pump. Assists with wet-out of lining materials. A must have for any lateral lining project and meets the ASTM specifications. Comes in 2.2 CFM and 4.8 CFM



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Coating System

The Quik-Coating System restores drain, waste, and vent piping (DWV) to “like new” condition. Giving your pipe an additional 50+ years of use.



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Coating Standard Kit


The **Quik-Coating System** is designed for the rehabilitation of DWV piping from 1.5" - 6"*.

- 50 ft each of red and blue hoses.
- Remote control flow meter.
- 2 sets of quick connects for resin with clear hoses.
- 4 - 3/8" brass compression fitting to 1/4" barb fitting.
- 6 plugs (3 red - 3 blue)
- Digital Scale
- Samsung Tablet
- Maintenance Kit

**Larger sizes can be done with additional equipment.*

Brushes

Brushes in 4 sizes to work in 1.5", 2", 3" and 4" lines.




Maintenance Kit (optional)

Comes with cleaning solvent for both A and B along with discharge tanks.

Resin Kit

Each Kit includes 1 each of the "A" and "B" specially designed resins in easy to handle boxed containers.



Brush Cleaner & Acetone

Comes in 5 gallon buckets. Very Important for proper maintenance of the brushes.



For a complete list of sizes, part numbers, and prices, contact our sales team.



Calibration Tubes and Liners

Our warehouses are stocked to serve you! Need some lateral liners? Need calibration tube? *Call US!* We can ship it to you when you need it.

USA Scrim Liner™

USA Made and patented reinforced scrim liner eliminates stretch in the liner while inverting. There is no chance for the liner to stretch and protrude past the termination point. **Available in 3mm or 4.5mm thickness. Available in 3" and 6"**



USA Transition Scrim Liner™

USA Made transitional flex liner adapts to variable conditions in the pipe. Easy to invert and navigates 90-degree bends with ease. **Available in 3mm or 4.5mm thickness. Available in 3" and 6"**



USA Clear Calibration Tube™

Clear calibration tube for all curing applications. Our USA made product is a Universal Sanitary Application product for all lateral rehabilitation projects. **Available in 4"- 8"**



For a complete list of sizes, part numbers, and prices, contact our sales team.

MaxLiner and APL Stitched Seam Felt Liner

PU coated polyester felt without scrim. **Available in 3mm or 4.5mm** thickness. Stitched seam makes inversion easy. **Available in 3" - 8" (10" and above by special order)**



MaxLiner and APL Stitched Seam Felt Liner w/ Scrim

PU or PVC coated liner is a non-woven, needle punched polyester fiber with scrim integrated into the fabric to limit longitudinal stretch. **Available in 3mm or 4.5mm** thickness. **Also available in a cast iron cut in 3" and 4". Available in 3" - 8" (10" and above by special order)**



SuperFlex Thin / SuperFlex Thick /XL

Very flexible 2mm (thin) to 4.5mm (thick) liner with stitched seam and PU coating. Negotiates multiple bends up to 90 degrees and can be used in multiple diameter changes with minimal wrinkling. **Available in 2"- 4" (thin) or 3"- 8" (thick) or 3"XL (will go from 3" to 4") or 6" XL (will go from 6" to 8")**



Pre Liner Tube

Poly tubing with fiberglass reinforcement. Used when existing sewer line has pipe missing and/or water is infiltrating into your line. **Available in 4"- 8"**



Poly Tubing

Poly Tubing is used for "Pull In Place" applications to protect point repair equipment. **Available in 3" and 12"**



Other liners available - call for details.

Our liners are ASTM, IAPMO, and ICC compliant and registered.

For a complete list of sizes, part numbers, and prices, contact our sales team.



For a complete list of sizes, part numbers, and prices, contact our sales team.

Quik-Pox Resin Base

Compatible with all lining materials. Surpasses F1216/F-1743 ASTM requirements. 4 to 1 mixing ratio when combined with our Quik-Pox hardeners.

Packaged in 5 gal. pails of 40 lbs or in bulk.



Quik-Pox 15 Hardener

Quik-Pox 15 offers work times of 15 minutes at 77 degrees.**

Packaged in 3.5 gal. pails of 20 lbs or in bulk.



Quik-Pox 30 Hardener

Quik-Pox 30 offers work times of 30 minutes at 77 degrees.**

Packaged in 3.5 gal. pails of 20 lbs or in bulk.



Quik-Pox 60 Hardener

Quik Pox 60 offers work times of 60 minutes at 77 degrees.**

Packaged in 3.5 gal. pails of 20 lbs or in bulk.



Other Formulations available upon request.

**Cure time will vary depending on ground temperature.

**Work time will vary depending on air temperature and amount of sun.

Our resins are ASTM, IAPMO, and ICC compliant and registered.

For a complete list of sizes, part numbers, and prices, contact our sales team.

Vinyl Ester

Combined with our felt liner, meets the Greenbook requirement for the City of Los Angeles and is activated with the Perk catalyst.

Available in 5 gal. pails of 40 lbs or in bulk.



Quik PE 15 Polyester

Quik PE Polyester Resin is an economical resin option. It is a styrene based resin that is activated with a Perk catalyst.

Available in 5 gal. pails of 40 lbs or in bulk.



Perkadox CH-50

Catalyst sold in small pre-measured containers. This fine powder easily mixes with either the Vinyl Ester Resin or the Polyester Resin to facilitate a consistent and uniform cure.

Available in 4 oz jars or in bulk.



Scale

Up to 140 lbs. capacity. Zero out feature to make weighing out your resin easy.



For a complete list of sizes, part numbers, and prices, contact our sales team.

The Midi Roller & Wet-Out Station Package

Size with Midi Roller: 61 X 24.9 X 38.2"
Belt Length: 59"



VAC-A-TEE

VAC-A-TEE is a trenchless cleanout installation system that is a clean and safe method for installing a new cleanout.



Inversion Heads

Inversion heads for tank type units. 90's for 2" - 6". Special order in 45 degrees & Straight angles. Cap with holes tapped out included.



Air Control Plug

Air manifold regulator control for air curing your liner

Air manifold for 3" and 8"



6" Male Cap

Air Cap for tank type units to hold correct amount of pressure during cure. Attaches to inversion heads with regulator.



Slic Lube

CIPP installation lubricant. No staining. No clean up. **One-gallon container.**



For a complete list of sizes, part numbers, and prices, contact our sales team.

LightRay



**LightRay = Better
than ALL THE REST!**

The LightRay LED UV system is an advanced UV cast-in-place pipe technology, allowing complete operator control of the casting process.

Our patent-pending, state-of-the-art technology can significantly reduce your costs and risks when compared to traditional thermo-setting or ambient-cast liners, creating new opportunities for plumbers and municipal contractors.

Please refer to LightRay Corporate Brochure for more information about available LightRays.



For a complete list of sizes, part numbers, and prices, contact our sales team.

LightRay LRI System - Inversion

- No complex parts or computer regulated movement.
- Casts lateral lengths of 150 ft. up to 6.3 ft./min. in all types of pipes.
- The 50-foot cast length light train incorporates cold LED lights for industry-leading cast times and does not rely on heat to cast the liner.
- Our proprietary design allows the light train to be incredibly flexible, navigating multiple bends up to 90 degrees.
- Liner material is available in 3-, 4-, and 6-inch diameters, including transitional flex.
- All liners arrive ready to install and can be stored for up to 6 months.
- All systems sold come with a 1-year limited warranty and training included.

Quik-Shot™ LRI Adapter

Adapter kit that allows existing and new Quik-Shot customers to use the LightRay LRI system. Existing Quik-Shot customers will get the kit at no charge when they purchase a LRI system.



For a complete list of sizes, part numbers, and prices, contact our sales team.

LightRay

LightRay 2-Inch Repair Package

- The system includes the LightRay 2" control box and power pack ensuring seamless operation.
- It comes with the LightRay 2" pneumatic accessories pack, ensuring that you have all the tools you need for the repair.
- The LightRay 2" packer is available in both 5-foot and 20-foot lengths, equipped with a reel and a 100-foot hose.
- Casting times of 10 minutes or less.
- All liner materials arrive ready to install and can be stored for up to 6 months.
- All systems sold come with a 1-yr limited warranty and training included.
- Designed, built, and supported in the USA.










LightRay LR3 System Push / Pull in Place

- Repairs pipe diameters of 3-inch to 12-inch, including transitions
- 8-, 10- and 12-inch diameter packers perform repairs up to 10-feet
- The 100-foot hose couples with 5-, 10-, or 20-foot packers to perform repairs
- Casting times of 10 minutes or less
- Liner materials arrive ready to install
- Easily navigates 45- and 90-degree bends
- Training included and 24/7 support



For a complete list of sizes, part numbers, and prices, contact our sales team.

TURN THAT
DRAIN CLEANING CALL
INTO REAL PROFIT
 WITH AN INSTANT
10-MINUTE SOLUTION

LIGHTRAY LR3	LIGHTRAY LR3 VS. DIG & REPLACE	DIG & REPLACE
	CALL BEFORE YOU DIG	
	TRENCH BOX / SHORING	
	POTENTIAL UTILITY DAMAGE: GAS, WATER, ETC.	
	REPAIR CAN BE MADE THE SAME DAY	
	ZERO INTERIOR FLOOR DAMAGE	
	ZERO LANDSCAPE DAMAGE	
	IMPROVED WORKFORCE SAFETY	
	PIPE BACK IN SERVICE WITHIN THE HOUR	
LIGHTRAY LR3: THE MOST PROFITABLE TOOL IN THE TOOLBOX		

AVERAGE COST

\$700

LR3 10FT REPAIR

*LABOR, MATERIALS, INCIDENTALS

AVERAGE CUSTOMER PRICE

\$3,200

LR3 10FT REPAIR

*INCLUDES SEWER CAMERA INSPECTION, CLEANING HOST PIPE & LR3 10FT REPAIR

GROSS PROFIT OF 78%

For a complete list of sizes, part numbers, and prices, contact our sales team.

Training, Customer Support & Certification

We don't just sell equipment, we teach you to use your equipment properly & efficiently.

Pipe Lining Supply excels at educating and training people on CIPP lateral lining, AIPPR pipe coating, high speed drain cleaning methods, plumbing standards and best practices. If your staff is rusty, needs complete training, or is concerned about a unique job, contact us at 888-354-6464 or info@pipeliningsupply.com.



For a complete list of sizes, part numbers, and prices, contact our sales team.

Customizable Van, Truck or Trailer

Pipe Lining Supply is pleased to offer a fully customizable drain cleaning, coating & lateral lining Micro Shop on Wheels.



Microshop on Wheels

- Completely Customizable.
- Plain White or Custom Wrapped.
- Great for Plumbers, Excavators, & Drain Cleaning Contractors.
- Room for all your Cured in Place Pipe (CIPP) Equipment.
- Room for all your Coating Equipment for Drain, Waste and Vent (DWV).
- Mounted Wet-Out Roller with Table and Shelves.
- Compressed Air and Power.

For a complete list of sizes, part numbers, and prices, contact our sales team.



PIPE LINING SUPPLY OFFERS

- State of the Art Equipment
- Quality Liners and Materials
- High Performing Resins
- Mobile Shop Options
- Top-Notch Customer Support

PIPE LINING
SUPPLY

TO ORDER CALL
888-354-6464

www.PipeLiningSupply.com

info@pipeliningsupply.com